

	Hits	Search Text	DBs
1	954	partitioned with database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	790	(partitioned with database\$1) and (@ad < "20011016")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	4508	partitioned with (database\$1 or storage\$1 or repositor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	3890	(partitioned with (database\$1 or storage\$1 or repositor\$3)) and (@ad < "20011016")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	419	((partitioned with (database\$1 or storage\$1 or repositor\$3)) and (@ad < "20011016")) and ((row\$1 or record\$1 or tuple\$1) with (id\$1 or key\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	406	((partitioned with (database\$1 or storage\$1 or repositor\$3)) and (@ad < "20011016")) and ((row\$1 or record\$1 or tuple\$1) with (id\$1 or key\$1))) and (column\$1 or field\$1 or attribute\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	30	((partitioned with (database\$1 or storage\$1 or repositor\$3)) and (@ad < "20011016")) and ((row\$1 or record\$1 or tuple\$1) with (id\$1 or key\$1))) and (column\$1 or field\$1 or attribute\$1)) and 64\$1bit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	0	((partitioned with (database\$1 or storage\$1 or repositor\$3)) and (@ad < "20011016")) and ((row\$1 or record\$1 or tuple\$1) with (id\$1 or key\$1))) and (column\$1 or field\$1 or attribute\$1)) and 80\$1bit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	10	(((((partitioned with (database\$1 or storage\$1 or repositor\$3)) and (@ad < "20011016")) and ((row\$1 or record\$1 or tuple\$1) with (id\$1 or key\$1))) and (column\$1 or field\$1 or attribute\$1)) and 64\$1bit\$1) and 8\$1bit\$1 and 32\$1bit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	13523	((707/1-10) or (707/100-104.1) or (707/200-204) or (709/203)).CCLS.	USPAT
11	206	(((((partitioned with (database\$1 or storage\$1 or repositor\$3)) and (@ad < "20011016")) and ((row\$1 or record\$1 or tuple\$1) with (id\$1 or key\$1))) and (column\$1 or field\$1 or attribute\$1)) and (((707/1-10) or (707/100-104.1) or (707/200-204) or (709/203)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	20	(((((partitioned with (database\$1 or storage\$1 or repositor\$3)) and (@ad < "20011016")) and ((row\$1 or record\$1 or tuple\$1) with (id\$1 or key\$1))) and (column\$1 or field\$1 or attribute\$1)) and 64\$1bit\$1) not ((((((partitioned with (database\$1 or storage\$1 or repositor\$3)) and (@ad < "20011016")) and ((row\$1 or record\$1 or tuple\$1) with (id\$1 or key\$1))) and (column\$1 or field\$1 or attribute\$1)) and 64\$1bit\$1) and 8\$1bit\$1 and 32\$1bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	50	( ("5848408") or ("5594898") or ("5819264") or ("6199063") or ("5740421") or ("5787410") or ("6078926") or ("6205451") or ("5426781") or ("5539903") or ("5579515") or ("5630122") or ("5751949") or ("5758145") or ("5787411") or ("5956728") or ("6085197") or ("6108664") or ("6112199") or ("6144983") or ("6374263") or ("6421662") or ("6480836") or ("6484179") or ("6487552") or ("6493699") or ("6578037") or ("6594653") or ("6629094") or ("6631371") or ("6636870") or ("5950210") or ("5724570") or ("5490100") or ("5511186") or ("5546576") or ("5873075") or ("5287493") or ("5604899") or ("5617567") or ("5652882") or ("5675779") or ("5826259") or ("5848405") or ("5860070") or ("5870765") or ("5870759") or ("5884325") or ("5926816") or ("6081801") ) .PN.	USPAT

	Hits	Search Text	DBs
1	2460	primary adj key\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
2	1745	117 and (@ad < "20011016")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	1022	118 and column\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	27	119 and 8\$1bit\$1 and 32\$1bit\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
5	0	119 and 8\$1bit\$1 and 32\$1bit\$1 and 24\$1bit\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
6	29	119 and 64\$1bit\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
7	26	120 not 121	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	226	large with (table\$1 or relation\$1) with partition\$4	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
2	189	128 and (@ad < "20011016")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	13523	((707/1-10) or (707/100-104.1) or (707/200-204) or (709/203)).CCLS.	USPAT
4	40	(large with (table\$1 or relation\$1) with partition\$4).ti,ab.	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
5	620	"140" and (@ad < "20011016")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
6	35	132 and (@ad < "20011016")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
7	0	134 and 130	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	0	134 and 8\$1bit\$1 and 32\$1bit\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
9	51	129 and 130	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
10	406	((partitioned with (database\$1 or storage\$1 or repositor\$3)) and (@ad < "20011016")) and ((row\$1 or record\$1 or tuple\$1) with (id\$1 or key\$1))) and (column\$1 or field\$1 or attribute\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
11	117	((row\$1 or record\$1 or tuple\$1) with (id\$1 or key\$1)) and 8\$1bit\$1 and 32\$1bit\$1 and 24\$1bit\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
12	103	139 and (@ad < "20011016")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
13	4	130 and 140	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	1873	8\$bit\$1 and 32\$1bit\$1 and 24\$1bit\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
2	213	((8\$bit\$1 and 32\$1bit\$1) with (id\$1 or key\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	88	((8\$bit\$1 with 32\$1bit\$1) with (id\$1 or key\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	9	((8\$bit\$1 with 24\$1bit\$1 with 32\$1bit\$1) with (id\$1 or key\$1))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
5	9	123 and (@ad < "20011016")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
6	1	124 and database\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB